

Data used as attributes for the overall "page" element

# Index Header and Subheader(s)

Index Header - Graphic/text. Graphic would include alt text. The index header is generated by the jsp

Sub-Header(s)\* - Graphic/text. The sub-header element may be a replicant to support multiple levels of sub-groups. The sub- header(s) is supplied by the

Utility Links - text links with icons to commonly utilized functions, such as "E-Mail" or "Print". Provided via the jsp

An article is usually composed of:

Pagination Status which allows the user to set pagination status to "Off", "Automatic" or "Manual" and Count - which allows the user to set word count for articles and item count for item lists A header which is either a graphic or

A graphic header would contain a graphic and alt text; a text header would be text, styled using CSS. The article Author, CSS-styled text. Photo(s) or image(s) with alt text, a caption, credit, and a sequence element, which would allow the user to assign an order to multiple images. A content body, which would contain optional lead text, an optional introduction\*, and body

A footer\*, which may contain links (graphic or text links), text\* as well as

Link(s) open(s) in new window unless content is native to Allure.com.

Sets of replicated feature elements which may be composed of:

header which may be a graphic or text and may be a link, image/graphic with href, alt text and an optional caption, a text sub-header, optional lead text which may be a link, blurb text, a link or list of links, a footer which may be a graphic or text and may be a link. All links should link to same url with the exception of the links - each link may link to a different url. Link(s) should open inline if the content is native to Allure.com.

A set of links to related Allure.com content; opens inline if the content is on

Credits for photos on page

An archive is created dynamically by the jsp using the <pageType/>, <section/ >, <subsection/>, <searchable/>, <category/> and <subcategory/> from the metadata element for related page(s) in a given group or subgroup. It is

An archive header, supplied by the jsp. An Archive Item's title is generated from the <searchResultTitle/> element in the metadata; supplied by the user. An arbitrary number is determined for archive links and following that number of links an "All {section name} Stories" link\*, which navigates to a "View All" page for the given section.